Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Rack PDU 2G, Switched, 20A/208V, 16A/230V, (21) C13 & (3) C19

AP8959

- ! Discontinued on: Dec 29, 2023
- ! To be end-of-service on: Mar 8, 2025

(!) To be discontinued

Overview

Lead Time Usually in Stock

Main

Colour	Black
Pdu Type	Switched
Provided Equipment	Installation guide Rack mounting brackets Serial configuration cable Safety guide

Complementary

	-	
Input Voltage	200 V	
	208 V	
	230 V	
Height	70.51 in (179.1 cm)	
Width	2.20 in (5.6 cm)	
Output Voltage	100 V	
	200 V	
	208 V	
	230 V	
Depth	1.81 in (4.6 cm)	
Net Weight	12.63 lb(US) (5.73 kg)	
Mounting Location	Side	
Mounting Preference	No preference	
Input Plug Type	IEC 60320 C20	
Mounting Mode	Not rack-mountable	
Rack Units	0U	
Usb Compatible	No	
Mounting Position	Vertical	
[In] Rated Current	16 A	
Permissible Voltage	100240 V	
Input Current Limits	20 A	
Load Capacity	3300 VA	
Network Frequency	50/60 Hz	

Outlet Type And Quantity	21 IEC 60320 C13	
	3 IEC 60320 C10	

Environment

Product Certifications	cUL listed PSE UL listed VDE	
Standards	EN 55022 class A EN 55024 EN 61000-3-2 EN 61000-3-3 FCC part 15 class A ICES-003	
Ambient Air Temperature For Operation	23140 °F (-560 °C)	
Relative Humidity	595 %	
Operating Altitude	010000 ft	
Ambient Air Temperature For Storage	-13149 °F (-2565 °C)	
Storage Relative Humidity	595 %	
Storage Altitude	050000 ft (0.0015240.00 m)	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	78.82 in (200.2 cm)
Package 1 Width	6.50 in (16.5 cm)
Package 1 Length	4.49 in (11.4 cm)
Package 1 Weight	17.33 lb(US) (7.86 kg)

Contractual warranty

Warranty 2 years repair or replace

Apr 25, 2024

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- CO_2 products.

Learn more about Green Premium >



Weee



Energy Efficient Take-back

R	es	οι	ırce	pe	rfor	ma	nce

	Energy Efficient Product	
⊘	Take-Back Program Available	

Well-being performance			
Lead Free			
Mercury Free			
Rohs Exemption Information	Yes		
Reach Regulation	REACh Declaration		
Eu Rohs Directive	Compliant with Exemptions		

collection and never end up in rubbish bins

The product must be disposed on European Union markets following specific waste