Product data sheet

Specifications





APC Replacement Battery Cartridge, VRLA battery, 5.1Ah, 192VDC, 2-year warranty

APCRBC140

Overview

Lead Time

Usually in S

Main

Product Or Component Type	Replacement battery cartridge	
Battery Type	Lead-acid battery	
Provided Equipment	Battery recycling guide	

Batteries & Runtime

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cartridge
Battery Voltage	192 V
Additional Information	Each APCRBC140 consists of 2 battery modules as shown in the product image.
Number Of Battery Replacement Quantity	1

Physical

Colour	Black
Height	4.80 in (12.2 cm)
Width	7.76 in (19.7 cm)
Depth	23.50 in (59.7 cm)
Net Weight	76.17 lb(US) (34.55 kg)
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature For Operation	32104 °F (040 °C)
Operating Altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature For Storage	5113 °F (-1545 °C)
Storage Altitude	050000 ft (0.0015240.00 m)
Storage Relative Humidity	095 % non-condensing

Packing Units



Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.90 in (22.6 cm)
Package 1 Width	30.75 in (78.1 cm)
Package 1 Length	16.10 in (40.9 cm)
Package 1 Weight	82.17 lb(US) (37.27 kg)

Contractual warranty

Warranty

2 years repair or replace

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.





Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

