

Product data sheet

Specifications



PowerShield 24W 12VDC NA3 U F

CP24U12NA3-F

⚠ Discontinued on: Dec 31, 2022

⚠ End-of-service on: Dec 31, 2022

⚠ Discontinued - Service only

Overview

Lead Time Usually Ships within 4 Weeks

Main

Rated Power In W	27 W
Rated Power In Va	27 VA
Input Connection Type	IEC 60320 C5
Connections - Terminals	1 screw terminal
Number Of Rack Unit	0U
Cable Length	8 ft (2.44 m)
Number Of Cables	1.0
Provided Equipment	User manual

Physical

Colour	Beige
Height	7.52 in (19.1 cm)
Width	9.49 in (24.1 cm)
Depth	2.99 in (7.6 cm)
Net Weight	7.52 lb(US) (3.41 kg)
Mounting Location	Front
Mounting Mode	Not rack-mountable
Usb Compatible	No

Input

Network Frequency	47...70 Hz auto-sensing
Input Voltage Limits	87...264 V
Input Voltage	100...240 V

Output

Output Voltage	12 V
Maximum Configurable Power In W	27 W

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Conformance

Equipment Protection Policy	Lifetime : \$100000
Product Certifications	cUL listed C-Tick CE VDE
Standards	EN 55022 class B EN 55024 EN 60950 EN 61000-3-2 FCC part 15 class B UL 60950

Environmental

Storage Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Operation	32...113 °F (0...45 °C)
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	5...113 °F (-15...45 °C)
Storage Altitude	0...50000 ft (0.00...15240.00 m)

Communications & Management

Control Panel	LED Status display with on line : on battery Output power on indicator LED
---------------	-------------------------------------------------------------------------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.50 in (34.3 cm)
Package 1 Width	13.50 in (34.3 cm)
Package 1 Length	4.49 in (11.4 cm)
Package 1 Weight	8.98 lb(US) (4.072 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)

Eu Rohs Directive

Under investigation
