

Product datasheet

Specifications



APC IT Power Distribution Module 3 Pole 5 Wire 63A IEC309 1040cm

PDM3563IEC-1040

Overview

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead Time	Usually Ships within 3 Weeks

Main

Main Input Voltage	400 V 3 phases
Main Output Voltage	230 V 400 V 3 phases
Provided Equipment	Installation guide

Physical

Colour	Grey
Height	15.2 cm
Width	26.7 cm
Depth	30.5 cm
Net Weight	30.91 kg

Input

Network Frequency	50 Hz
Max Line Current	63 A

Output

Max Current Draw	63 A
Number Of Power Socket Outlets	1 IEC 309

Conformance

Product Certifications	CE VDE
------------------------	-----------

Environmental

Ambient Air Temperature For Operation	0...30 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...40 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Relative Humidity	0...95 %
Storage Altitude	0.00...4572.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	22.9 cm
Package 1 Width	50.8 cm
Package 1 Length	50.8 cm
Package 1 Weight	32.73 kg


Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency

Resource performance

✔ Take-Back Program Available

Well-being performance

✔ Mercury Free

Reach Regulation	REACH Declaration
Eu Rohs Directive	Under investigation
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information