Specifications

NetBotz Rack Monitor 550

NBRK0550



Discontinued on: 24 Mar 2023



Overview

Presentation	Supports up to 4 external camera pods, 12 sensor pods and up to 78 Universal Sensors.
Lead Time	Usually in Stock
Main	
Number Of Rack Unit	1U

Communication Port Protocol	DHCP
	DNS
	HTTP
	HTTPS
	SMTP
	SOCKS
	TCP/IP
Provided Equipment	Country-specific detachable power cord
	Documentation CD
	Installation guide
	Rack mounting brackets
	Temperature/humidity sensor
	USB cable

General

Number Of Universal Sensors	12	
Supported		

Physical

Height	4.3 cm
Width	43.2 cm
Depth	9.3 cm
Net Weight	1.4 kg
Mounting Location	Front Rear
Mounting Preference	No preference
Mounting Mode	Rack-mounted

Conformance

Standards

FCC part 15 class A ICES-003



Product Certifications

AS/NZS 3548 (C-Tick) class A cUL listed CE GOST IRAM low voltage directive 2006/95/EC NOM UL listed VCCI class A VDE

Environmental

Ambient Air Temperature For Operation	045 °C
Operating Altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1565 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

Communications & Management

Communication Network Type	RJ45 10/100 Base-T

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.4 cm
Package 1 Width	22.9 cm
Package 1 Length	54.6 cm
Package 1 Weight	2.36 kg

Contractual warranty

Warranty

2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- $\rm CO_2$ products.

Learn more about Green Premium >

Eu Rohs Directive Under investigation Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

