Product datasheet

Specifications

Green Premium™

Power Cord, C20 to IEC309 (16A), 2.5m

AP9899

Overview

Presentation	This cable connects an IEC C19 outlet to an IEC 309-16A connector. It can be used as a means to plug in a 16A IEC 309 plug into a Rack PDU with IEC C19 outlets.
Lead Time	Usually in Stock

Main

Input Connection Type	IEC 60320 C20
Cable Length	2.50 m

Physical

Colour	Black
Height	9.5 cm
Width	29.2 cm
Depth	9.5 cm
Net Weight	0.5 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Max Line Current	16 A
Input Current Limits	16 A

Output

Number Of Power Socket Outlets	1 IEC 60309 16 A 2P + E

Conformance

Product Certifications	VDE

Environmental

Ambient Air Temperature For Operation	-10…40 °C
Relative Humidity	20…80 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	10…30 °C
Storage Relative Humidity	20…80 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Altitude	0.00…15240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.2 cm
Package 1 Width	30.5 cm
Package 1 Length	10.2 cm
Package 1 Weight	0.609 kg
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	25.4 cm
Package 2 Width	32.2 cm
Package 2 Length	53.2 cm
Package 2 Weight	6.12 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	10
Package 3 Height	143.99 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	6.12 kg

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >

Take-back Transparency RoHS/REACh

Resource performance

- Take-Back Program Available

Well-being performance

- Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information