

# InRow RC, 300mm, Chilled Water, 100-120V, 50/60 Hz

ACRC100

- ! Discontinued on: Apr 1, 2016
- ! To be end-of-service on: Mar 31, 2026

! Discontinued - Service only

### **Overview**

Lead Time While Supplies Last

## Main

Input Connection Type	NEMA L5-20P
Number Of Rack Unit	42U
Number Of Cables	2
Provided Equipment	Installation guide Operations and maintenance manual

### **General**

Air Discharge Patterns	Horizontal
Intake Air	Rear Return
Air Flow	2900 ft³/min (1368.65 l/s)
Minimum Water Inlet Temperature	45 °F (7 °C)
Condensate Pump Capacity	1.3 Gal/hr(US) (0.00 m3/h)

# **Physical**

Color	Black
Height	78.39 in (199.1 cm)
Width	11.81 in (30 cm)
Depth	42.13 in (107 cm)
Net Weight	358.76 lb(US) (162.73 kg)
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

# Input

Input Power	1100 W	
Input Frequency	50/60 Hz	

## **Conformance**

Product Certifications	cUL Listed Industry Canada MEA UL Listed VCCI
Standards	FCC Part 15 class A ICES-003

# **Communications & Management**

Control Panel Multi-function LCD status and control console

# Ordering and shipping details

**Gtin** 731304240945

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	83.39 in (211.8 cm)
Package 1 Width	44.76 in (113.7 cm)
Package 1 Length	29.37 in (74.6 cm)
Package 1 Weight	426.42 lb(US) (193.42 kg)
Number Of Units In Package 3	1

# **Contractual warranty**

Warranty

<sup>1</sup> year (parts only), 1 year on-site repair or replace with factory authorized Start-Up

# **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >

**Eu Rohs Directive** 

Not applicable, out of EU RoHS legal scope