





AP4450

! Discontinued on: Jun 9, 2023



Overview

Lead Time Usually in Stock

Main

IVIAIII	
Main Input Voltage	100 V 120 V
Main Output Voltage	100 V 120 V
Input Connection Type	NEMA 5-15P
Number Of Rack Unit	1U
Cable Length	8 ft (2.44 m)
Number Of Cables	2
Provided Equipment	Mounting Hardware Rack Mounting brackets Serial configuration cable

Physical

Color	Black
Height	1.73 in (4.4 cm)
Width	17.01 in (43.2 cm)
Depth	9.29 in (23.6 cm)
Net Weight	9.70 lb(US) (4.4 kg)
Mounting Location	Front
Mounting Preference	No preference
Mounting Mode	Rack-mounted

Input

Input Frequency	50/60 Hz
Line Rated Current	12 A
Input Current Limits	15 A
Load Capacity	1440 VA

Output

Maximum Total Current Draw Per 1

Number Of Power Socket Outlets 10 NEMA 5-15R

Conformance

Product Certifications	PSE TÜV-C TÜV-NURTL VCCI Class A	
Standards	FCC Part 15 class A	

Environmental

Ambient Air Temperature For Operation	23113 °F (-545 °C)
Relative Humidity	095 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-13149 °F (-2565 °C)
Storage Relative Humidity	095 %
Storage Altitude	050000 ft (0.0015240.00 m)

Ordering and shipping details

Gtin 731304333494

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.49 in (11.4 cm)
Package 1 Width	14.02 in (35.6 cm)
Package 1 Length	23.62 in (60 cm)
Package 1 Weight	13.60 lb(US) (6.17 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Lead Free



Mercury Free



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information